

## **Product datasheet for TA369541S**

## **MRPS18C Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type: Primary Antibodies** 

**Applications:** IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: 231 Hela K562 cell and Human bladder carcinoma tissue

IHC: 25-100

Positive control: Human tonsil Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: lgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Store at -20°C. Storage:

Stability: 1 year **Predicted Protein Size:** 16 kDa

Gene Name: mitochondrial ribosomal protein S18C

Database Link: Entrez Gene 51023 Human

Q9Y3D5



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology.

Synonyms:


CGI-134; FLJ11146; FLJ22967; MRP-S18-1; MRP-S18-c; MRPS18-1; Mrps18-c; S18mt-c

## **Product images:**




Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-4: 231
Hela
K562 cell and Human bladder carcinoma tissue
Primary antibody: [TA369541] (MRPS18C
Antibody) at dilution 1/800
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution

Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA369541] (MRPS18C Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA369541] (MRPS18C Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)