

Product datasheet for TA369554S

Product data:

Product Type: Primary Antibodies

KCTD16 Rabbit Polyclonal Antibody

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human cerebrum tissue,rat brain tissue and Mouse brain tissue

IHC: 25-100

Positive control: Human breast cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human KCTD16

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 49 kDa

Gene Name: potassium channel tetramerization domain containing 16

Database Link: Entrez Gene 57528 Human

Q68DU8



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

The BTB (Broad-Complex, Tramtrack and Bric a brac) domain, also known as the POZ (Poxvirus and Zinc finger) domain, is an N-terminal homodimerization domain that contains multiple copies of kelch repeats and/or C2H2-type zinc fingers. Proteins that contain BTB domains are thought to be involved in transcriptional regulation via control of chromatin structure and function. KCTD16 (potassium channel tetramerisation domain containing 16), also known as BTB/POZ domain-containing protein KCTD16, is a 428 amino acid protein that contains one BTB (POZ) domain. An auxiliary subunit of GABAB R1 and GABAB R2, KCTD16 increases agonist potency and alters the G-protein signaling of the receptors by accelerating onset and promoting desensitization.

Synonyms:


DKFZp781A1155; KIAA1317; MGC138167

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-3: Human cerebrum tissue rat brain tissue and Mouse brain tissue Primary antibody: [TA369554] (KCTD16 Antibody) at dilution 1/350 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 3 seconds



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA369554] (KCTD16 Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA369554] (KCTD16 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)