

Product datasheet for TA369562S

Histone H1t (HIST1H1T) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies Applications: WB Recommended Dilution: WB: 500-2000 WB positive control: Mouse lung tissue and Human heart tissue lysates **Reactivity:** Human, Mouse Host: Rabbit lgG Isotype: **Clonality:** Polyclonal Immunogen: Fusion protein of human H1-6 Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol **Purification:** Antigen affinity purification **Conjugation:** Unconjugated Store at -20°C. Storage: Stability: 1 year **Predicted Protein Size:** 22 kDa Gene Name: histone cluster 1, H1t Database Link: Entrez Gene 3010 Human P22492 **Background:** Histones are basic nuclear proteins responsible for nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H1 family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6. [provided by RefSeq, Aug 2015] dJ221C16.2; H1FT; H1T; MGC163222 Synonyms:


View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product images:



Gel: 12%SDS-PAGE Lysate: 40 μg Lane 1-2: Mouse lung tissue and Human heart tissue lysates Primary antibody: [TA369562] (H1-6 Antibody) at dilution 1/600 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 2 minutes

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US