

Product datasheet for TA369618S

DPYD Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: dihydropyrimidine dehydrogenase

Database Link: Entrez Gene 1806 Human

Q12882

Background: The protein encoded by this gene is a pyrimidine catabolic enzyme and the initial and rate-

limiting factor in the pathway of uracil and thymidine catabolism. Mutations in this gene result in dihydropyrimidine dehydrogenase deficiency, an error in pyrimidine metabolism associated with thymine-uraciluria and an increased risk of toxicity in cancer patients receiving 5-fluorouracil chemotherapy. Two transcript variants encoding different isoforms

have been found for this gene.

Synonyms: DHP; DHPDHASE; DPD; MGC70799; MGC132008




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA369618] (DPYD Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA369618] (DPYD Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA369618] (DPYD Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA369618] (DPYD Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)