

# **Product datasheet for TA369650S**

# PRTFDC1 Rabbit Polyclonal Antibody

### **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human Ovarian cancer (granulosa cell tumor)tissue ☐Human testis tissue

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

IHC: 25-100

Positive control: Human lung cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 26 kDa

**Gene Name:** phosphoribosyl transferase domain containing 1

Database Link: Entrez Gene 56952 Human

Q9NRG1






#### Background:


PRTFDC1 (phosphoribosyltransferase domain-containing protein 1), also known as HHGP, is a 225 amino acid protein that belongs to the purine/pyrimidine phosphoribosyltransferase family. The functions of PRTFCD1 are not well understood; however it has been suggested that it is frequently silenced in oral squamous-cell carcinomas by aberrant promoter hypermethylation. Conserved in vertebrates, PRTFDC1 is suggested to be a possible tumor-suppressor. PRTFDC1 is encoded by a gene which maps to chromosome 10. Spanning nearly 135 million base pairs, chromosome 10 makes up approximately 4.5% of the total DNA in cells and encodes nearly 1,200 genes. Three isoforms of PRTFDC1 exist due to alternative splicing events. Has low, barely detectable phosphoribosyltransferase activity (in vitro). Binds GMP, IMP and alpha-D-5-phosphoribosyl 1-pyrophosphate (PRPP). Is not expected to contribute to purine metabolism or GMP salvage.

Synonyms: FLJ11888; HHGP

## **Product images:**




Gel: 12%SDS-PAGE
Lysate: 40 µg
Lane 1-2: Human Ovarian cancer ( granulosa cell tumor )tissue
Human testis tissue
Primary antibody: [TA369650] (PRTFDC1
Antibody) at dilution 1/250
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA369650] (PRTFDC1 Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA369650] (PRTFDC1 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)