

## Product datasheet for **TA369667**


### **NAA60 Rabbit Polyclonal Antibody**

#### **Product data:**


|                       |  |
|-----------------------|--|
| Product Type:         | Primary Antibodies   |
| Applications:         | IHC  |
| Recommended Dilution: | IHC: 25-100<br>Positive control: Human gastric cancer<br>Predicted cell location: Cytoplasm and Nucleus  |
| Reactivity:           | Human, Mouse, Rat  |
| Host:                 | Rabbit   |
| Isotype:              | IgG  |
| Clonality:            | Polyclonal   |
| Immunogen:            | Full length fusion protein   |
| Formulation:          | pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol   |
| Concentration:        | lot specific   |
| Purification:         | Antigen affinity purification  |
| Conjugation:          | Unconjugated   |
| Storage:              | Store at -20°C.  |
| Stability:            | 1 year   |
| Gene Name:            | N(alpha)-acetyltransferase 60, NatF catalytic subunit  |
| Database Link:        | <a href="#">Entrez Gene 79903 Human Q9H7X0</a>   |
| Background:           | Histone acetyltransferase localized in the Golgi apparatus that mediates acetylation of free histone H4, thereby facilitating nucleosome assembly. Has a preference for free histone H4 'Lys-20'(H4K20ac), 'Lys-79'(H4K79ac) and 'Lys-91' (H4K91ac). Also displays alpha (N-terminal) acetyltransferase activity towards a range of N-terminal sequences including those starting with Met-Lys, Met-Val, Met-Ala and Met-Met. Required for normal chromosomal segregation during anaphase. |
| Synonyms:             | HAT4; NAT15  |




[View online »](#)

**Product images:**


Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA369667 (NAA60 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA369667 (NAA60 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA369667 (NAA60 Antibody) at dilution 1/25 (Original magnification:  $\times 200$ )



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA369667 (NAA60 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification:  $\times 200$ )