

# Product datasheet for TA369684S

## **RPL8 Rabbit Polyclonal Antibody**

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: MCF-70293T and Jurkat cell0Mouse brain tissue IHC: 25-100 Positive control: Human cervical cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human RPL8
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	28 kDa
Gene Name:	ribosomal protein L8
Database Link:	<u>Entrez Gene 6132 Human</u> <u>P62917</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


#### **CRIGENE** RPL8 Rabbit Polyclonal Antibody – TA369684S

Background:Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and<br/>a large 60S subunit. Together these subunits are composed of 4 RNA species and<br/>approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is<br/>a component of the 60S subunit. The protein belongs to the L2P family of ribosomal proteins.<br/>It is located in the cytoplasm. In rat, the protein associates with the 5.8S rRNA, very likely<br/>participates in the binding of aminoacyl-tRNA, and is a constituent of the elongation factor 2-<br/>binding site at the ribosomal subunit interface. Alternatively spliced transcript variants<br/>encoding the same protein exist. As is typical for genes encoding ribosomal proteins, there<br/>are multiple processed pseudogenes of this gene dispersed through the genome.


## Synonyms:

## RPL8

#### **Product images:**




Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-4: MCF-7 293T and Jurkat cell Mouse brain tissue Primary antibody: [TA369684] (RPL8 Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA369684] (RPL8 Antibody) at dilution 1/30 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA369684] (RPL8 Antibody) at dilution 1/30, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US