

# Product datasheet for TA369792S

## **UNC45B Rabbit Polyclonal Antibody**

### **Product data:**

#### **OriGene Technologies, Inc.**


9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Draduct Type	Driman/Antibodias
Product Type:	Primary Antibodies
Applications:	WB
Recommended Dilution:	WB: 500-2000 WB positive control: Mouse skeletal muscle tissue lysate
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human UNC45B
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	104/95 kDa
Gene Name:	unc-45 myosin chaperone B
Database Link:	<u>Entrez Gene 146862 Human</u> <u>Q8IWX7</u>
Background:	This gene encodes a co-chaperone required for folding and accumulation of type II myosins. The protein consists of three tetratricopeptide repeat motifs at the N-terminus that form a complex with heat shock protein 90, a central region of unknown function that is conserved in all Unc-45 proteins, and a C-terminal Unc-45/Cro1/She4 domain. The protein is expressed at high levels in striated muscle, where its muscle myosin chaperone activity is dependent on heat shock protein 90 acting as a co-chaperone. A missense mutation in this gene has been associated with cataract development. Alternative splicing results in multiple transcript variants.
Synonyms:	CMYA4; FLJ38610; MGC119540; MGC119541; OTTHUMP00000163855; SMUNC45; UNC-45B; UNC45



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **Product images:**



Gel: 6%SDS-PAGE Lysate: 40 μg Lane: Mouse skeletal muscle tissue lysate Primary antibody: [TA369792] (UNC45B Antibody) at dilution 1/600 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 20 seconds

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US