

Product datasheet for TA369848

BTF3L4 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Hela cell lysate

IHC: 25-100

Positive control: Human thyroid cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Full length fusion protein

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 17 kDa

Gene Name: basic transcription factor 3-like 4

Database Link: Entrez Gene 91408 Human

Q96K17

Background: The function of this protein remains unknown.

Synonyms: MGC23908; MGC88389; OTTHUMP00000010515; RP4-800M22.5




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Gel: 12%SDS-PAGE Lysate: 40 µg Lane: Hela cell lysate


Primary antibody: TA369848 (BTF3L4 Antibody) at

dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 1 minute




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA369848 (BTF3L4 Antibody) at dilution 1/35 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA369848 (BTF3L4 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA369848 (BTF3L4 Antibody) at dilution 1/35 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA369848 (BTF3L4 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)