

Product datasheet for TA369920


CCNB1IP1 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 200-1000 WB positive control: A172 and HT-29 cell lysates IHC: 25-100 Positive control: Human esophagus cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Full length fusion protein
Formulation:	pH7.4 PBS, 0.05% NaN ₃ , 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	32 kDa
Gene Name:	cyclin B1 interacting protein 1
Database Link:	Entrez Gene 57820 Human Q9NPC3
Background:	HEI10 is a member of the E3 ubiquitin ligase family and functions in progression of the cell cycle through G(2)/M.[supplied by OMIM, Apr 2004]
Synonyms:	C14orf18; HEI10; OTTHUMP00000163984; OTTHUMP00000163986



[View online »](#)

Product images:

Gel: 8%SDS-PAGE


Lysate: 40 μ g

Lane 1-2: A172 and HT-29 cell lysates


Primary antibody: TA369920 (CCNB1IP1 Antibody) at dilution 1/250

Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution


Exposure time: 1 minute




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA369920 (CCNB1IP1 Antibody) at dilution 1/25 (Original magnification: \times 200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA369920 (CCNB1IP1 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA369920 (CCNB1IP1 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA369920 (CCNB1IP1 Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)