

## **Product datasheet for TA370015**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## **COPS8 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human kidney tissue and Human fetal liver tissue \( \text{Hela cell lysates} \)

IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Fusion protein of human COPS8

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 23 kDa

Gene Name: COP9 signalosome subunit 8

Database Link: Entrez Gene 10920 Human

Q99627

**Background:** The protein encoded by this gene is one of the eight subunits of COP9 signalosome, a highly

conserved protein complex that functions as an important regulator in multiple signaling pathways. The structure and function of COP9 signalosome is similar to that of the 19S regulatory particle of 26S proteasome. COP9 signalosome has been shown to interact with

SCF-type E3 ubiquitin ligases and act as a positive regulator of E3 ubiquitin ligases. Alternatively spliced transcript variants encoding distinct isoforms have been observed.







Synonyms:

COP9; CSN8; hCOP9; MGC1297; MGC43256; SGN8

## **Product images:**







Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-3: Human kidney tissue and Human fetal liver tissue Hela cell lysates Primary antibody: TA370015 (COPS8 Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 3 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA370015 (COPS8 Antibody) at dilution 1/20 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA370015 (COPS8 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370015 (COPS8 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370015 (COPS8 Antibody) at dilution 1/20, treated with fusion protein. (Original magnification: ×200)