

Product datasheet for TA370076

DDX39 (DDX39A) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: 231 and Jurkat cell lysates

IHC: 50-200

Positive control: Human esophagus cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human DDX39A

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 49 kDa

Gene Name: DEAD-box helicase 39A

Database Link: Entrez Gene 10212 Human

<u>000148</u>

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

This gene encodes a member of the DEAD box protein family. These proteins are characterized by the conserved motif Asp-Glu-Ala-Asp (DEAD) and are putative RNA helicases. They are implicated in a number of cellular processes involving alteration of RNA secondary structure, such as translation initiation, nuclear and mitochondrial splicing, and ribosome and spliceosome assembly. Based on their distribution patterns, some members of the DEAD box protein family are believed to be involved in embryogenesis, spermatogenesis, and cellular growth and division. This gene is thought to play a role in the prognosis of patients with gastrointestinal stromal tumors. A pseudogene of this gene is present on chromosome 13. Alternate splicing results in multiple transcript variants. Additional alternatively spliced transcript variants of this gene have been described, but their full-length nature is not known.

Synonyms: Ddx39; Ddxl

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane 1-2: 231 and Jurkat cell lysates


Primary antibody: TA370076 (DDX39A Antibody)

at dilution 1/1000

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 2 minutes




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370076 (DDX39A Antibody) at dilution 1/65 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370076 (DDX39A Antibody) at dilution 1/65, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA370076 (DDX39A Antibody) at dilution 1/65 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA370076 (DDX39A Antibody) at dilution 1/65, treated with fusion protein. (Original magnification: ×200)