

Product datasheet for TA370105

COMT Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Hela 293T Jurkat and 231 cell lysates

IHC: 25-100

Positive control: Human lung cancer

Predicted cell location: Nucleus and Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human COMT

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 30 kDa

Gene Name: catechol-O-methyltransferase

Database Link: Entrez Gene 1312 Human

P21964



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

Catechol-O-methyltransferase catalyzes the transfer of a methyl group from S-adenosylmethionine to catecholamines, including the neurotransmitters dopamine, epinephrine, and norepinephrine. This O-methylation results in one of the major degradative pathways of the catecholamine transmitters. In addition to its role in the metabolism of endogenous substances, COMT is important in the metabolism of catechol drugs used in the treatment of hypertension, asthma, and Parkinson disease. COMT is found in two forms in tissues, a soluble form (S-COMT) and a membrane-bound form (MB-COMT). The differences between S-COMT and MB-COMT reside within the N-termini. Several transcript variants are formed through the use of alternative translation initiation sites and promoters.

Synonyms:

catechol-O-methyltransferase; OTTHUMP00000197749; OTTHUMP00000197750

Product images:



Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-4: Hela 293T

Jurkat and 231 cell lysates


Primary antibody: TA370105 (COMT Antibody) at

dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA370105 (COMT Antibody) at dilution 1/25 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using TA370105 (COMT Antibody) at dilution 1/25, treated with fusion protein. (Original magnification: ×200)