

## **Product datasheet for TA370119**

## **GK5** Rabbit Polyclonal Antibody

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human breast cancer tissue lysate

IHC: 30-150

Positive control: Human esophagus cancer Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Full length fusion protein

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 59 kDa

Gene Name:glycerol kinase 5 (putative)Database Link:Entrez Gene 256356 Human

Q6ZS86

**Background:** GK5(Putative glycerol kinase 5) is also named as ATP:glycerol 3-phosphotransferase 5 and

belongs to the FGGY kinase family. It is involved in Glycerol metabolism and catalyzes the phosphorylation of glycerol by ATP, yielding ADP and glycerol-3-phosphate. It has 3 isoforms

produced by alternative splicing with the MW of 59 kDa, 34 kDa and 28 kDa.

**Synonyms:** FLJ33582; FLJ45739; MGC40579




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg


Lane: Human breast cancer tissue lysate Primary antibody: TA370119 (GK5 Antibody) at

dilution 1/500

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 90 seconds



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370119 (GK5 Antibody) at dilution 1/35 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370119 (GK5 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)