

Product datasheet for TA370173

RBM17 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse liver tissue lysate

IHC: 40-200

Positive control: Human ovarian cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human RBM17

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 45 kDa

Gene Name: RNA binding motif protein 17

Database Link: Entrez Gene 84991 Human

Q96I25

Background: This gene encodes an RNA binding protein. The encoded protein is part of the spliceosome

complex and functions in the second catalytic step of mRNA splicing. Alternatively spliced transcript variants have been described. Related pseudogenes exist on chromosomes 9 and

15.

Synonyms: DKFZp686F13131; MGC14439; SPF45




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse liver tissue lysate


Primary antibody: TA370173 (RBM17 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA370173 (RBM17 Antibody) at dilution 1/35 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using TA370173 (RBM17 Antibody) at dilution 1/35, treated with fusion protein. (Original magnification: ×200)