

Product datasheet for TA370262S

CNOT10 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-300

Positive control: Human thyroid cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human CNOT10

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: CCR4-NOT transcription complex subunit 10

Database Link: Entrez Gene 25904 Human

Q9H9A5

Background: Component of the CCR4-NOT complex which is one of the major cellular mRNA deadenylases

and is linked to various cellular processes including bulk mRNA degradation, miRNA-mediated repression, translational repression during translational initiation and general transcription regulation. Additional complex functions may be a consequence of its influence on mRNA expression. Is not required for association of CNOT7 to the CCR4-NOT complex.

Synonyms: DKFZp434K115; FLJ12890; FLJ13165




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA370262] (CNOT10 Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA370262] (CNOT10 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA370262] (CNOT10 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA370262] (CNOT10 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)