

Product datasheet for TA370355

TXNL1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies Applications: IHC, WB Recommended Dilution: WB: 1000-5000 WB positive control: PC3 cell, HepG2 cell lysates IHC: 50-200 Positive control: Human esophagus cancer Predicted cell location: Cytoplasm **Reactivity:** Human, Mouse, Rat Host: Rabbit Isotype: lgG **Clonality:** Polyclonal Immunogen: Fusion protein of human TXNL1 pH7.4 PBS, 0.05% NaN3, 40% Glycerol Formulation: Concentration: lot specific Antigen affinity purification **Purification: Conjugation:** Unconjugated Storage: Store at -20°C. Stability: 1 year **Predicted Protein Size:** 32 kDa thioredoxin like 1 Gene Name: Database Link: Entrez Gene 9352 Human 043396

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


TXNL1 Rabbit Polyclonal Antibody – TA370355

Background:


TXNL1(Thioredoxin-like protein 1) is also named as TRP32, TXL, TXNL and belongs to the thioredoxin family. It might be involved in the cellular response to sugar starvation stress. The predicted 289-amino acid, 32.3-kD protein has 2 distinct domains: an N-terminal domain, which is 43% identical to human TXN, and a C-terminal domain, which showed no homology to other proteins in the sequence databases. TXNL1 functions as an effector of oxidants or redox sensor that couples oxidative stress to endocytosis, by converting redox changes into a specific GDI:Rab5-mediated endocytic response.

Synonyms: TRP32; Txl; TXL-1; TXNL

Product images:




Gel: 8%SDS-PAGE Lysate: 40 µg Lane 1-2: PC3 cell HepG2 cell lysates Primary antibody: TA370355 (TXNL1 Antibody) at dilution 1/1000 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 10 seconds



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370355 (TXNL1 Antibody) at dilution 1/50 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA370355 (TXNL1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA370355 (TXNL1 Antibody) at dilution 1/50 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA370355 (TXNL1 Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US