

# Product datasheet for TA370535S

**Primary Antibodies** 

Human, Mouse, Rat

WB positive control: Rat brain tissue lysate

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Fusion protein of human KCNIP4

Antigen affinity purification

Entrez Gene 80333 Human

pH7.4 PBS, 0.05% NaN3, 40% Glycerol

potassium voltage-gated channel interacting protein 4

IHC, WB

Rabbit

Polyclonal

Unconjugated Store at -20°C.

1 year

29 kDa

Q6PIL6

lgG

IHC: 100-300

# **KCNIP4 Rabbit Polyclonal Antibody**

Recommended Dilution: WB: 500-2000

## **Product data:**

**Product Type:** 

**Applications:** 

**Reactivity:** 

Host:

Isotype:

**Clonality:** 

Immunogen:

Formulation:

**Purification:** 

**Conjugation:** 

Gene Name:

Database Link:

**Predicted Protein Size:** 

Storage: Stability: OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

### **CRIGENE** KCNIP4 Rabbit Polyclonal Antibody – TA370535S


Background:This gene encodes a member of the family of voltage-gated potassium (Kv) channel-<br/>interacting proteins (KCNIPs), which belong to the recoverin branch of the EF-hand<br/>superfamily. Members of the KCNIP family are small calcium binding proteins. They all have<br/>EF-hand-like domains, and differ from each other in the N-terminus. They are integral subunit<br/>components of native Kv4 channel complexes. They may regulate A-type currents, and hence<br/>neuronal excitability, in response to changes in intracellular calcium. This protein member<br/>also interacts with presenilin. Multiple alternatively spliced transcript variants encoding<br/>distinct isoforms have been identified for this gene.

Synonyms: CALP; KCHIP4; MGC44947

### **Product images:**




Gel: 12%SDS-PAGE Lysate: 40 µg Lane: Rat brain tissue lysate Primary antibody: [TA370535] (KCNIP4 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA370535] (KCNIP4 Antibody) at dilution 1/120 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA370535] (KCNIP4 Antibody) at dilution 1/120, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US