

## **Product datasheet for TA370586S**

## **RIC3 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Rat brain tissue lysate

IHC: 50-300

Positive control: Human tonsil Predicted cell location: Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

**Clonality:** Polyclonal

**Immunogen:** Fusion protein of human RIC3

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 41 kDa

**Gene Name:** RIC3 acetylcholine receptor chaperone

Database Link: Entrez Gene 79608 Human

Q7Z5B4

**Background:** This gene encodes a member of the resistance to inhibitors of cholinesterase 3-like family

which functions as a chaperone of specific 5-hydroxytryptamine type 3 receptor and nicotinic acetylcholine receptor subtypes. The encoded protein influences the folding and assembly of these receptor subunits in the endoplasmic reticulum and expression on the cell surface. This protein contains an N-terminal transmembrane domain, a proline-rich spacer, and a cytosolic of terminal solid soil domain. Alternative splicing receptor is multiple transcript variants.

C-terminal coiled-coil domain. Alternative splicing results in multiple transcript variants.

Synonyms: AYST720; FLJ11608; PRO1385




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Rat brain tissue lysate


Primary antibody: [TA370586] (RIC3 Antibody) at

dilution 1/400

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 3 minutes




Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA370586] (RIC3 Antibody) at dilution 1/55 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA370586] (RIC3 Antibody) at dilution 1/55, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA370586] (RIC3 Antibody) at dilution 1/55 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA370586] (RIC3 Antibody) at dilution 1/55, treated with fusion protein. (Original magnification: ×200)