

Product datasheet for TA370637S

FKBP52 (FKBP4) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: 231 and HepG2 cell lysates

IHC: 50-300

Positive control: Human cervical cancer

Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human FKBP4

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 52 kDa

Gene Name: FK506 binding protein 4

Database Link: Entrez Gene 2288 Human

Q02790

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

The protein encoded by this gene is a member of the immunophilin protein family, which play a role in immunoregulation and basic cellular processes involving protein folding and trafficking. This encoded protein is a cis-trans prolyl isomerase that binds to the immunosuppressants FK506 and rapamycin. It has high structural and functional similarity to FK506-binding protein 1A (FKBP1A), but unlike FKBP1A, this protein does not have immunosuppressant activity when complexed with FK506. It interacts with interferon regulatory factor-4 and plays an important role in immunoregulatory gene expression in B and T lymphocytes. This encoded protein is known to associate with phytanoyl-CoA alphahydroxylase. It can also associate with two heat shock proteins (hsp90 and hsp70) and thus may play a role in the intracellular trafficking of hetero-oligomeric forms of the steroid hormone receptors. This protein correlates strongly with adeno-associated virus type 2 vectors (AAV) resulting in a significant increase in AAV-mediated transgene expression in human cell lines. Thus this encoded protein is thought to have important implications for the optimal use of AAV vectors in human gene therapy. The human genome contains several non-transcribed pseudogenes similar to this gene.

Synonyms:

FKBP52; FKBP59; HBI; Hsp56; p52; PPlase; rotamase

Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg

Lane 1-2: 231 and HepG2 cell lysates

Primary antibody: [TA370637] (FKBP4 Antibody)


at dilution 1/900

Secondary antibody: Goat anti rabbit IgG at


1/5000 dilution

Exposure time: 20 seconds





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA370637] (FKBP4 Antibody) at dilution 1/65 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA370637] (FKBP4 Antibody) at dilution 1/65, treated with fusion protein. (Original magnification: ×200)