

Product datasheet for TA370766S

MRPL40 Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 1000-5000 WB positive control: K562, A172, Jurkat, LOVO cell lysates IHC: 100-300 Positive control: Human esophagus cancer Predicted cell location: Cytoplasm
Reactivity:	Human
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Fusion protein of human MRPL40
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	24 kDa
Gene Name:	mitochondrial ribosomal protein L40
Database Link:	<u>Entrez Gene 64976 Human</u> <u>Q9NQ50</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


MRPL40 Rabbit Polyclonal Antibody – TA370766S

Background: Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Deletions in this gene may contribute to the etiology of velo-cardio-facial syndrome and DiGeorge syndrome.


Synonyms:

FLJ41774; L40mt; MGC9400; MRP-L22; MRP-L40; NLVCF; URIM

Product images:




Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-4: K562 A172 Jurkat LOVO cell lysates Primary antibody: [TA370766] (MRPL40 Antibody) at dilution 1/1000 Secondary antibody: Goat anti rabbit lgG at 1/5000 dilution Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA370766] (MRPL40 Antibody) at dilution 1/80 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA370766] (MRPL40 Antibody) at dilution 1/80, treated with fusion protein. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA370766] (MRPL40 Antibody) at dilution 1/80 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA370766] (MRPL40 Antibody) at dilution 1/80, treated with fusion protein. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2025 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US