

Product datasheet for TA370868

FCRLM1 (FCRLA) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Ramos cell lysate

IHC: 100-200

Positive control: Human colorectal cancer

Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Fusion protein of human FCRLA

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 39 kDa

Gene Name: Fc receptor like A

Database Link: Entrez Gene 84824 Human

Q7L513

Background: This gene encodes a protein similar to receptors for the Fc fragment of gamma

immunoglobulin (IgG). These receptors, referred to as FCGRs, mediate the destruction of IgG-coated antigens and of cells induced by antibodies. This encoded protein is selectively expressed in B cells, and may be involved in their development. This protein may also be involved in the development of lymphomas. Multiple alternatively spliced transcript variants

that encode different protein isoforms have been described for this gene.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

FCRL; FCRL1; FCRLc1; FCRLc2; FCRLd; FCRLe; FCRLM1; FCRLX; FCRX; FREB; MGC4595; RP11-474I16.5


Product images:



Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane: Ramos cell lysate
Primary antibody: TA370868 (FCRLA Antibody) at
dilution 1/750


Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution

Exposure time: 1 minute




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA370868 (FCRLA Antibody) at dilution 1/90 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA370868 (FCRLA Antibody) at dilution 1/90, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA370868 (FCRLA Antibody) at dilution 1/90 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using TA370868 (FCRLA Antibody) at dilution 1/90, treated with fusion protein. (Original magnification: ×200)