

## **Product datasheet for TA370998S**

## **SUCLA2 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human placenta tissue lysate

IHC: 50-100

Positive control: Human prostate cancer

Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human SUCLA2

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 50 kDa

**Gene Name:** succinate-CoA ligase ADP-forming beta subunit

Database Link: Entrez Gene 8803 Human

Q9P2R7

**Background:** Succinyl-CoA synthetase (SCS) is a mitochondrial matrix enzyme that acts as a heterodimer,

being composed of an invariant alpha subunit and a substrate-specific beta subunit. The protein encoded by this gene is an ATP-specific SCS beta subunit that dimerizes with the SCS alpha subunit to form SCS-A, an essential component of the tricarboxylic acid cycle. SCS-A hydrolyzes ATP to convert succinate to succinyl-CoA. Defects in this gene are a cause of myopathic mitochondrial DNA depletion syndrome. A pseudogene of this gene has been

found on chromosome 6.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms: A-BETA; SCS-betaA

## **Product images:**









Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Human placenta tissue lysate Primary antibody: [TA370998] (SUCLA2 Antibody) at dilution 1/600 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 2 minutes

Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA370998] (SUCLA2 Antibody) at dilution 1/65 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human prostate cancer tissue using [TA370998] (SUCLA2 Antibody) at dilution 1/65, treated with fusion protein. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA370998] (SUCLA2 Antibody) at dilution 1/65 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA370998] (SUCLA2 Antibody) at dilution 1/65, treated with fusion protein. (Original magnification: ×200)