

## **Product datasheet for TA371088S**

## **PHIP Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human colorectal cancer

Predicted cell location: Nucleus

**Reactivity:** Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Fusion protein of human PHIP

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** pleckstrin homology domain interacting protein

**Database Link:** Entrez Gene 55023 Human

Q8WWQ0

Background: This gene encodes a protein that binds to the insulin receptor substrate 1 protein and

regulates glucose transporter translocation in skeletal muscle cells. The encoded protein may also regulate growth and survival of pancreatic beta cells. Elevated copy number of this gene may be associated with melanoma severity and the encoded protein may promote melanoma

metastasis in human patients.

**Synonyms:** DCAF14; FLJ20705; FLJ45918; MGC90216; ndrp; WDR11




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA371088] (PHIP Antibody) at dilution 1/50 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA371088] (PHIP Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA371088] (PHIP Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA371088] (PHIP Antibody) at dilution 1/50, treated with fusion protein. (Original magnification: ×200)