

Product datasheet for TA371090S

MTCO2 (COX2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 1000-5000

WB positive control: K562, 293T, 231 and A549 cell lysates

IHC: 50-200

Positive control: Human breast cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human MT-CO2

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 26 kDa

Gene Name: mitochondrially encoded cytochrome c oxidase II

Database Link: Entrez Gene 4513 Human

P00403

Background: Cytochrome c oxidase is the component of the respiratory chain that catalyzes the reduction

of oxygen to water. Subunits 1-3 form the functional core of the enzyme complex. Subunit 2 transfers the electrons from cytochrome c via its binuclear copper A center to the bimetallic

center of the catalytic subunit 1.




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Product images:




Gel: 12%SDS-PAGE Lysate: 40 µg Lane 1-4: K562 293T 231 and A549 cell lysates Primary antibody: [TA371090] (MT-CO2 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution

Exposure time: 5 seconds



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using [TA371090] (MT-CO2 Antibody) at dilution 1/50. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA371090] (MT-CO2 Antibody) at dilution 1/50. (Original magnification: ×200)