

Product datasheet for TA371375S

HRH1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human HRH1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: histamine receptor H1

Database Link: Entrez Gene 3269 Human

P35367

Background: Histamine is a ubiquitous messenger molecule released from mast cells, enterochromaffin-

like cells, and neurons. Its various actions are mediated by histamine receptors H1, H2, H3 and H4. This gene was thought to be intronless until recently. The protein encoded by this gene is an integral membrane protein and belongs to the G protein-coupled receptor superfamily. It mediates the contraction of smooth muscles, the increase in capillary permeability due to contraction of terminal venules, the release of catecholamine from

adrenal medulla, and neurotransmission in the central nervous system.

Synonyms: H1-R; hisH1; OTTHUMP00000160133




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371375] (HRH1 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371375] (HRH1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)









Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using [TA371375] (HRH1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)