

## **Product datasheet for TA371424S**

## **REG3A Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human gasrtic cancer Predicted cell location: Cytoplasm

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human REG3AFormulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** regenerating family member 3 alpha

Database Link: Entrez Gene 5068 Human

Q06141

**Background:** This gene encodes a pancreatic secretory protein that may be involved in cell proliferation or

differentiation. It has similarity to the C-type lectin superfamily. The enhanced expression of this gene is observed during pancreatic inflammation and liver carcinogenesis. Alternate

splicing results in multiple transcript variants that encode the same protein.

**Synonyms:** hepatocarcinoma-intestine-pancreas; HIP; PAP; PAP-H; PAP1; PBCGF; REG-III; REG3




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using [TA371424] (REG3A Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human gasrtic cancer tissue using [TA371424] (REG3A Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA371424] (REG3A Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA371424] (REG3A Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)