

Product datasheet for TA371430S

CAB39 Rabbit Polyclonal Antibody

Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Lovo cells IHC: 50-200 Positive control: Human brain Predicted cell location: Cytoplasm and Nucleus
Reactivity:	Human, Mouse
Host:	Rabbit
lsotype:	lgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human CAB39
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	40 kDa
Gene Name:	calcium binding protein 39
Database Link:	<u>Entrez Gene 51719 Human</u> <u>Q9Y376</u>

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CAB39 Rabbit Polyclonal Antibody – TA371430S


Background:Peutz-Jeghers Syndrome (PJS) is a rare hereditary disease characterized by melanocytic
macules of the lips, gastrointestinal hamartomatous polyps and an increased risk for many
classes of cancer. The serine/threonine kinase LKB1 (also designated STK11) has been
identified as the gene mutated in PJS. LKB1 activity increases upon the binding of a regulatory
complex consisting of the STE20-related adaptor-alpha (STRAD alpha) pseudo kinase and the
calcium binding protein 39 (MO25 alpha). STRAD and MO25 determine the subcellular
localization of LKB1 by initiating its translocation from the nucleus to the cytoplasm, thus
regulating the tumor suppressor activity of LKB1. The LKB1/STRAD/MO25 complex acts as an
AMP-activated protein kinase kinase (AMPKK).

Synonyms: CGI-66; FLJ22682; MO25


Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Lovo cells Primary antibody: [TA371430] (CAB39 Antibody) at dilution 1/200 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 20 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA371430] (CAB39 Antibody) at dilution 1/40 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human brain tissue using [TA371430] (CAB39 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371430] (CAB39 Antibody) at dilution 1/40 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371430] (CAB39 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US