

Product datasheet for TA371473

PUS10 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Mouse intestinum tenue tissue

IHC: 50-200

Positive control: Human brain Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human PUS10

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 60 kDa

Gene Name: pseudouridylate synthase 10

Database Link: Entrez Gene 150962 Human

Q3MIT2

Background: Pseudouridination, the isomerization of uridine to pseudouridine, is the most common

posttranscriptional nucleotide modification found in RNA and is essential for biologic functions such as spliceosome biogenesis. Pseudouridylate synthases, such as PUS10, catalyze pseudouridination of structural RNAs, including transfer, ribosomal, and splicing RNAs. These enzymes also act as RNA chaperones, facilitating the correct folding and

assembly of tRNAs.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Synonyms:

CCDC139; DOBI; FLJ32312; MGC126729; MGC126755; OTTHUMP00000201431

Product images:



Gel: 8%SDS-PAGE Lysate: 40 μg

Lane: Mouse intestinum tenue tissue


Primary antibody: TA371473 (PUS10 Antibody) at

dilution 1/200

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 3 seconds




Immunohistochemistry of paraffin-embedded Human brain tissue using TA371473 (PUS10 Antibody) at dilution 1/40 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human brain tissue using TA371473 (PUS10 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371473 (PUS10 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371473 (PUS10 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)