

## **Product datasheet for TA371554S**

## **TAF10 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human TAF10Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** TATA-box binding protein associated factor 10

Database Link: <u>Entrez Gene 6881 Human</u>

Q12962

**Background:** Initiation of transcription by RNA polymerase II requires the activities of more than 70

polypeptides. The protein that coordinates these activities is transcription factor IID (TFIID), which binds to the core promoter to position the polymerase properly, serves as the scaffold

for assembly of the remainder of the transcription complex, and acts as a channel for regulatory signals. TFIID is composed of the TATA-binding protein (TBP) and a group of

evolutionarily conserved proteins known as TBP-associated factors or TAFs.

Synonyms: STAF28; TAF(II)30; TAF2A; TAF2H; TAFII-30; TAFII30




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371554] (TAF10 Antibody) at dilution 1/40 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371554] (TAF10 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA371554] (TAF10 Antibody) at dilution 1/40 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA371554] (TAF10 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)