

## **Product datasheet for TA371573S**

## **TNIP1 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse muscle tissue and Hela cells

IHC: 25-100

Positive control: Human liver cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human TNIP1

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 72 kDa

**Gene Name:** TNFAIP3 interacting protein 1

Database Link: Entrez Gene 10318 Human

Q15025

**Background:** This gene encodes an A20-binding protein which plays a role in autoimmunity and tissue

homeostasis through the regulation of nuclear factor kappa-B activation. Mutations in this gene have been associated with psoriatic arthritis, rheumatoid arthritis, and systemic lupus erythematosus. Multiple transcript variants encoding different isoforms have been found for

this gene.

Synonyms: ABIN-1; hVAN; KIAA0113; NAF1; Nip40-1; VAN




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**





Gel: 8%SDS-PAGE Lysate: 40 μg

Lane 1-2: Mouse muscle tissue

Hela cells

Primary antibody: [TA371573] (TNIP1 Antibody) at

dilution 1/400


Secondary antibody: Goat anti rabbit IgG at

1/8000 dilution

Exposure time: 20 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371573] (TNIP1 Antibody) at dilution 1/35 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA371573] (TNIP1 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)