

Product datasheet for TA371585

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

UBA1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human fetal brain tissue, 231, 293T and Hela cells

IHC: 30-150

Positive control: Human breast cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human UBA1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 118 kDa

Gene Name: ubiquitin like modifier activating enzyme 1

Database Link: Entrez Gene 7317 Human

P22314

Background: The protein encoded by this gene catalyzes the first step in ubiquitin conjugation to mark

cellular proteins for degradation. This gene complements an X-linked mouse temperaturesensitive defect in DNA synthesis, and thus may function in DNA repair. It is part of a gene cluster on chromosome Xp11.23. Alternatively spliced transcript variants that encode the


same protein have been described.


Synonyms: A1S9; A1S9T; A1ST; AMCX1; GXP1; MGC4781; SMAX2; UBA1A; UBE1; UBE1X





Product images:






Gel: 6%SDS-PAGE
Lysate: 40 µg
Lane 1-4: Human fetal brain tissue
231 cells
293T cells
Hela cells
Primary antibody: TA371585 (UBA1 Antibody) at dilution 1/400
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 1 minute

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371585 (UBA1 Antibody) at dilution 1/40 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371585 (UBA1 Antibody) at dilution 1/40, treated with synthetic peptide. (Original magnification: ×200)