

Product datasheet for TA371611

HNRPM (HNRNPM) Rabbit Polyclonal Antibody

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: HT-29, A172, hela and 293T cell IHC: 25-100 Positive control: Human breast cancer Predicted cell location: Nucleus
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
lsotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human HNRNPM
Formulation:	pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	78 kDa
Gene Name:	heterogeneous nuclear ribonucleoprotein M
Database Link:	<u>Entrez Gene 4670 Human</u> <u>P52272</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


GRIGENE HNRPM (HNRNPM) Rabbit Polyclonal Antibody – TA371611

Background:This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear
ribonucleoproteins (hnRNPs). The hnRNPs are RNA binding proteins and they complex with
heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the
nucleus and appear to influence pre-mRNA processing and other aspects of mRNA
metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to
shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic
acid binding properties. The protein encoded by this gene has three repeats of quasi-RRM
domains that bind to RNAs. This protein also constitutes a monomer of the N-
acetylglucosamine-specific receptor which is postulated to trigger selective recycling of
immature GlcNAc-bearing thyroglobulin molecules. Alternative splicing results in multiple
transcript variants.

Synonyms:


DKFZp547H118; HNRNPM4; HNRPM; HNRPM4; HTGR1; NAGR1

Product images:



Gel: 6%SDS-PAGE Lysate: 40 µg Lane 1-4: HT-29 A172 hela and 293T cell Primary antibody: TA371611 (HNRNPM Antibody) at dilution 1/250 Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution Exposure time: 10 seconds


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371611 (HNRNPM Antibody) at dilution 1/25 (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371611 (HNRNPM Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA371611 (HNRNPM Antibody) at dilution 1/25 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA371611 (HNRNPM Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US