

Product datasheet for TA371670

DVL1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 20-100

Positive control: Human tonsil

Predicted cell location: Cytoplasm and Cell membrane

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human DVL1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: dishevelled segment polarity protein 1

Database Link: Entrez Gene 1855 Human

<u>O14640</u>

Background: DVL1, the human homolog of the Drosophila dishevelled gene (dsh) encodes a cytoplasmic

phosphoprotein that regulates cell proliferation, acting as a transducer molecule for developmental processes, including segmentation and neuroblast specification. DVL1 is a candidate gene for neuroblastomatous transformation. The Schwartz-Jampel syndrome and Charcot-Marie-Tooth disease type 2A have been mapped to the same region as DVL1. The phenotypes of these diseases may be consistent with defects which might be expected from

aberrant expression of a DVL gene during development.

Synonyms: Dishevelled-1; DVL; MGC54245




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:





Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA371670 (DVL1 Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA371670 (DVL1 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)









Immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using TA371670 (DVL1 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)