

## **Product datasheet for TA371739S**

## **OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

## **CHRNA9 Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: Human cerebrum tissue and Human cerebella tissue lysates

IHC: 40-200

Positive control: Human brain

Predicted cell location: Cell membrane

Reactivity: Human, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human CHRNA9

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year
Predicted Protein Size: 55 kDa

**Gene Name:** cholinergic receptor nicotinic alpha 9 subunit

Database Link: Entrez Gene 55584 Human

Q9UGM1

**Background:** This gene is a member of the ligand-gated ionic channel family and nicotinic acetylcholine


receptor gene superfamily. It encodes a plasma membrane protein that forms homo- or hetero-oligomeric divalent cation channels. This protein is involved in cochlea hair cell development and is also expressed in the outer hair cells (OHCs) of the adult cochlea.

**Synonyms:** HSA243342; MGC142109; MGC142135; NACHRA9






## **Product images:**




Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-2: Human cerebrum tissue and Human
cerebella tissue lysates
Primary antibody: [TA371739] (CHRNA9 Antibody)
at dilution 1/400
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 30 seconds



Immunohistochemistry of paraffin-embedded Human brain tissue using [TA371739] (CHRNA9 Antibody) at dilution 1/50 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human brain tissue using [TA371739] (CHRNA9 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)