

# **Product datasheet for TA371765S**

### **KLRC3 Rabbit Polyclonal Antibody**

#### **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human tonsil

Predicted cell location: Cell membrane

Reactivity: Human
Host: Rabbit
Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human KLRC3Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** killer cell lectin like receptor C3

Database Link: Entrez Gene 3823 Human

Q07444

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






#### Background:


Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus-infected cells without previous activation. They can also regulate specific humoral and cell-mediated immunity. NK cells preferentially express several calcium-dependent (C-type) lectins, which have been implicated in the regulation of NK cell function. KLRC3 is a member of the NKG2 group which are expressed primarily in natural killer (NK) cells and encodes a family of transmembrane proteins characterized by a type II membrane orientation (extracellular C terminus) and the presence of a C-type lectin domain. The NKG2 gene family is located within the NK complex, a region that contains several C-type lectin genes preferentially expressed on NK cells. Alternative splicing results in multiple transcript variants encoding different isoforms.

Synonyms: NKG2-E; NKG2E

## **Product images:**




Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA371765] (KLRC3 Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA371765] (KLRC3 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA371765] (KLRC3 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human cervical cancer tissue using [TA371765] (KLRC3 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)