

# Product datasheet for TA371912

# **IFITM1 Rabbit Polyclonal Antibody**

# **Product data:**

**Product Type: Primary Antibodies Applications:** IHC, WB Recommended Dilution: WB: 500-2000 WB positive control: Mouse spleen tissue lysate IHC: 50-100 Positive control: Human breast cancer Predicted cell location: Cell membrane **Reactivity:** Human, Mouse Host: Rabbit Isotype: lgG **Clonality:** Polyclonal Immunogen: Synthetic peptide of human IFITM1 pH7.4 PBS, 0.05% NaN3, 40% Glycerol Formulation: Concentration: lot specific Antigen affinity purification **Purification: Conjugation:** Unconjugated Storage: Store at -20°C. Stability: 1 year **Predicted Protein Size:** 14 kDa Gene Name: interferon induced transmembrane protein 1 Database Link: Entrez Gene 8519 Human P13164

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


## **GRIGENE** IFITM1 Rabbit Polyclonal Antibody – TA371912

Background: IFN-induced antiviral protein which inhibits the entry of viruses to the host cell cytoplasm, permitting endocytosis, but preventing subsequent viral fusion and release of viral contents into the cytosol. Active against multiple viruses, including influenza A virus, SARS coronavirus (SARS-CoV), Marburg virus (MARV), Ebola virus (EBOV), Dengue virus (DNV), West Nile virus (WNV), human immunodeficiency virus type 1 (HIV-1) and hepatitis C virus (HCV). Can inhibit: influenza virus hemagglutinin protein-mediated viral entry, MARV and EBOV GP1,2-mediated viral entry and SARS-CoV S protein-mediated viral entry. Also implicated in cell adhesion and control of cell growth and migration. Plays a key role in the antiproliferative action of IFNgamma either by inhibiting the ERK activation or by arresting cell growth in G1 phase in a p53-dependent manner. Acts as a positive regulator of osteoblast differentiation.


Synonyms:

9-27; CD225; IFI17; LEU13

## **Product images:**




Gel: 12%SDS-PAGE Lysate: 40 µg Lane: Mouse spleen tissue lysate Primary antibody: TA371912 (IFITM1 Antibody) at dilution 1/500 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution Exposure time: 40 seconds



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371912 (IFITM1 Antibody) at dilution 1/25 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371912 (IFITM1 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US