

## **Product datasheet for TA371966**

## **Orexin (HCRT) Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human colorectal cancer Predicted cell location: Cytoplasm and Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**Immunogen:** Synthetic peptide of human HCRT

**Formulation:** pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** hypocretin (orexin) neuropeptide precursor

Database Link: Entrez Gene 3060 Human

<u>O43612</u>

**Background:** This gene encodes a hypothalamic neuropeptide precursor protein that gives rise to two

mature neuropeptides, orexin A and orexin B, by proteolytic processing. Orexin A and orexin B, which bind to orphan G-protein coupled receptors HCRTR1 and HCRTR2, function in the regulation of sleep and arousal. This neuropeptide arrangement may also play a role in

feeding behavior, metabolism, and homeostasis.

**Synonyms:** Hypocretin; NRCLP1; orexin; OX; PPORX; PPOX




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**





Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA371966 (HCRT Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using TA371966 (HCRT Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)









Immunohistochemistry of paraffin-embedded Human tonsil tissue using TA371966 (HCRT Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)