

Product datasheet for TA371990

ZBTB3 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: A549,A172,HT-29 HEPG2 and Hela cell lysates

IHC: 35-200

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human ZBTB3

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 62 kDa

Gene Name: zinc finger and BTB domain containing 3

Database Link: Entrez Gene 79842 Human

Q9H5J0



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Background:

The BTB (Broad-Complex, Tramtrack and Bric a brac) domain, also known as the POZ (POxvirus and Zinc finger) domain, is an N-terminal homodimerization domain that contains multiple copies of kelch repeats and/or C2H2-type zinc fingers. Proteins that contain BTB domains are thought to be involved in transcriptional regulation via control of chromatin structure and function. ZBTB3 (zinc finger and BTB domain containing 3) is a 574 amino acid protein that contains one BTB (POZ) domain and two C2H2-type zinc fingers. Localized to the nucleus, ZBTB3 is thought to play a role in transcriptional regulation events. The gene encoding ZBTB3 maps to human chromosome 11, which houses over 1,400 genes and comprises nearly 4% of the human genome.

Synonyms: FLJ23392


Product images:




Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane 1-5: A549
A172
HT-29
HEPG2 and Hela cell lysates
Primary antibody: TA371990 (ZBTB3 Antibody) at dilution 1/550
Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution
Exposure time: 30 seconds

Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA371990 (ZBTB3 Antibody) at dilution 1/55 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA371990 (ZBTB3 Antibody) at dilution 1/55, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371990 (ZBTB3 Antibody) at dilution 1/55 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA371990 (ZBTB3 Antibody) at dilution 1/55, treated with synthetic peptide. (Original magnification: ×200)