

Product datasheet for TA372133S

C13orf33 (MEDAG) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Mouse heart tissue lysate

IHC: 50-300

Positive control: Human ovarian cancer Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human MEDAG

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated

Storage: Store at -20°C.

Stability: 1 year

Predicted Protein Size: 34 kDa

Gene Name: mesenteric estrogen dependent adipogenesis

Database Link: <u>Entrez Gene 84935 Human</u>

Q5VYS4



9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn



Background:


Involved in processes that promote adipocyte differentiation, lipid accumulation, and glucose

uptake in mature adipocytes.

Synonyms:

6330406115Rik; Awms3; mAWMS3; MEDA-4; Meda4

Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg


Lane: Mouse heart tissue lysate Primary antibody: [TA372133] (MEDAG

Antibody) at dilution 1/700

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 30 seconds



Immunohistochemistry of paraffinembedded Human ovarian cancer tissue using [TA372133] (MEDAG Antibody) at dilution 1/75 (Original magnification: ×200)





Immunohistochemistry of paraffinembedded Human ovarian cancer tissue using [TA372133] (MEDAG Antibody) at dilution 1/75, treated with synthetic peptide. (Original magnification: ×200)