

Product datasheet for TA372381S

CYP2A13 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: WB

Recommended Dilution: WB: 200-1000

WB positive control: A549 cell lysates

Reactivity: Human

Host: Rabbit

Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human CYP2A13Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 57 kDa

Gene Name: cytochrome P450 family 2 subfamily A member 13

Database Link: Entrez Gene 1553 Human

Q16696

Background: This gene encodes a member of the cytochrome P450 superfamily of enzymes. The

cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum. Although its endogenous substrate has not been determined,

it is known to metabolize 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone, a major

nitrosamine specific to tobacco. This gene is part of a large cluster of cytochrome P450 genes

from the CYP2A, CYP2B and CYP2F subfamilies on chromosome 19q.

Synonyms: CPAD; CYP2A; CYPIIA13




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:



Gel: 8%SDS-PAGE
Lysate: 40 µg
Lane: A549 cell lysate
Primary antibody: [TA372381] (CYP2A13
Antibody) at dilution 1/200
Secondary antibody: Goat anti rabbit IgG at
1/8000 dilution
Exposure time: 1 minute