

## **Product datasheet for TA372392S**

## **DAGLA Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human DAGLAFormulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: diacylglycerol lipase alpha

Database Link: Entrez Gene 747 Human

Q9Y4D2

**Background:** Members of the AB hydrolase superfamily have diverse catalytic functions and play a crucial

role in the metabolism of lipids. DAGLα (diacylglycerol lipase alpha), also known as NSDDR or

C11orf11, is a 1,042 amino acid multi-pass membrane protein that belongs to the AB hydrolase superfamily. Highly expressed in brain and pancreas, DAGL $\alpha$  uses calcium as a cofactor to catalyze the hydrolysis of diacylglycerol (DAG) to 2-arachidonoyl-glycerol (2-AG), a reaction that is required for axonal growth and for retrograde synaptic signaling at mature synapses. DAGL $\alpha$  functions as at optimal pH of 7 and its activity is inhibited by p-hydroxymercuri-benzoate and HgCl2. The gene encoding DAGL $\alpha$  maps to human chromosome 11,

which houses over 1,400 genes and comprises nearly 4% of the human genome.



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

C11orf11; DAGL(ALPHA); DAGLALPHA; DGL-alpha; KIAA0659; NSDDR

## **Product images:**




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA372392] (DAGLA Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA372392] (DAGLA Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA372392] (DAGLA Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA372392] (DAGLA Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)