

Product datasheet for TA372429S

DMAP1 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC, WB

Recommended Dilution: WB: 200-1000

WB positive control: RAW and NIH/3T3 cell lysates

IHC: 25-100

Positive control: Human liver cancer

Predicted cell location: Cytoplasm or Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human DMAP1

Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification


Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 53 kDa

Gene Name: DNA methyltransferase 1 associated protein 1

Database Link: Entrez Gene 55929 Human

Q9NPF5



9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn






Background:

This gene encodes a subunit of several, distinct complexes involved in the repression or activation of transcription. The encoded protein can independently repress transcription and is targeted to replication foci throughout S phase by interacting directly with the N-terminus of DNA methyltransferase 1. During late S phase, histone deacetylase 2 is added to this complex, providing a means to deacetylate histones in transcriptionally inactive heterochromatin following replication. The encoded protein is also a component of the nucleosome acetyltransferase of H4 complex and interacts with the transcriptional corepressor tumor susceptibility gene 101 and the pro-apoptotic death-associated protein 6, among others. Alternatively spliced transcript variants encoding the same protein have been described.

Synonyms:

DKFZp686L09142; DNMAP1; DNMTAP1; EAF2; FLJ11543; KIAA1425; MEAF2; SWC4

Product images:



Gel: 8%SDS-PAGE Lysate: 40 µg


Lane 1-2: RAW and NIH/3T3 cell lysates Primary antibody: [TA372429] (DMAP1 Antibody)

at dilution 1/350

Secondary antibody: Goat anti rabbit IgG at


1/8000 dilution

Exposure time: 5 seconds




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA372429] (DMAP1 Antibody) at dilution 1/25 (Original magnification: ×200)






Immunohistochemistry of paraffin-embedded Human liver cancer tissue using [TA372429] (DMAP1 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA372429] (DMAP1 Antibody) at dilution 1/25 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA372429] (DMAP1 Antibody) at dilution 1/25, treated with synthetic peptide. (Original magnification: ×200)