

Product datasheet for TA372518

EHMT2/G9A (EHMT2) Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 25-100

Positive control: Human esophagus cancer

Predicted cell location: Nucleus

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human EHMT2Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: euchromatic histone lysine methyltransferase 2

Database Link: Entrez Gene 10919 Human

Q96KQ7

Background: This gene encodes a methyltransferase that methylates lysine residues of histone H3.

Methylation of H3 at lysine 9 by this protein results in recruitment of additional epigenetic regulators and repression of transcription. This gene was initially thought to be two different genes, NG36 and G9a, adjacent to each other in the HLA locus. Alternative splicing results in

multiple transcript variants.

Synonyms: BAT8; C6orf30; DKFZp686H08213; Em:AF134726.3; FLJ35547; G9A; KMT1C; NG36; NG36/G9a


OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA372518 (EHMT2 Antibody) at dilution 1/20 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using TA372518 (EHMT2 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA372518 (EHMT2 Antibody) at dilution 1/20 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA372518 (EHMT2 Antibody) at dilution 1/20, treated with synthetic peptide. (Original magnification: ×200)