

## **Product datasheet for TA372530S**

## **METT11D1 (METTL17) Rabbit Polyclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

**Applications:** IHC, WB

Recommended Dilution: WB: 500-2000

WB positive control: Human colorectal cancer tissue lysate

IHC: 20-100

Positive control: Human tonsil Predicted cell location: Cytoplasm

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human METTL17
Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year Predicted Protein Size: 51 kDa

**Gene Name:** methyltransferase like 17

Database Link: Entrez Gene 64745 Human

Q9H7H0

**Background:** May be a component of the mitochondrial small ribosomal subunit.

Synonyms: METT11D1




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




## **Product images:**




Gel: 8%SDS-PAGE Lysate: 40 µg Lane: Human colorectal cancer tissue lysate Primary antibody: [TA372530] (METTL17 Antibody) at dilution 1/800 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution

Exposure time: 5 minutes



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA372530] (METTL17 Antibody) at dilution 1/50 (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA372530] (METTL17 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification: ×200)