

Product datasheet for TA372627S

GMEB2 Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 30-150

Positive control: Human esophagus cancer Predicted cell location: Nucleus and Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human GMEB2Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: glucocorticoid modulatory element binding protein 2

Database Link: Entrez Gene 26205 Human

Q9UKD1

Background: This gene is a member of KDWK gene family. The product of this gene associates with GMEB1

protein, and the complex is essential for parvovirus DNA replication. Study of rat homolog implicates the role of this gene in modulation of transactivation by the glucocorticoid receptor

bound to glucocorticoid response elements. This gene appears to use multiple

polyadenylation sites.

Synonyms: GMEB-2; KIAA1269; OTTHUMP00000031575; P79PIF; PIF79




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Product images:




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA372627] (GMEB2 Antibody) at dilution 1/30 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using [TA372627] (GMEB2 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA372627] (GMEB2 Antibody) at dilution 1/30 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human lung cancer tissue using [TA372627] (GMEB2 Antibody) at dilution 1/30, treated with synthetic peptide. (Original magnification: ×200)