

Product datasheet for TA372734S

HLA-DRB1 Rabbit Polyclonal Antibody

Product data:

Reactivity:

Host:

Isotype:

Clonality:

Product Type: Primary Antibodies Applications: IHC Recommended Dilution: IHC: 20-100 Positive control: Human tonsil Predicted cell location: Cytoplasm and Cell membrane Human Rabbit lgG Polyclonal Immunogen: Synthetic peptide of human HLA-DRB1 Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol Concentration: lot specific

Antigen affinity purification Purification: **Conjugation:** Unconjugated Storage: Store at -20°C.

Stability: 1 year Gene Name: major histocompatibility complex, class II, DR beta 1 Database Link: Entrez Gene 3123 Human P01911

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


GRIGENE HLA-DRB1 Rabbit Polyclonal Antibody – TA372734S

Background: HLA-DRB1 belongs to the HLA class II beta chain paralogs. The class II molecule is a heterodimer consisting of an alpha (DRA) and a beta chain (DRB), both anchored in the membrane. It plays a central role in the immune system by presenting peptides derived from extracellular proteins. Class II molecules are expressed in antigen presenting cells (APC: B lymphocytes, dendritic cells, macrophages). The beta chain is approximately 26-28 kDa. It is encoded by 6 exons. Exon one encodes the leader peptide; exons 2 and 3 encode the two extracellular domains; exon 4 encodes the transmembrane domain; and exon 5 encodes the cytoplasmic tail. Within the DR molecule the beta chain contains all the polymorphisms specifying the peptide binding specificities. Hundreds of DRB1 alleles have been described and typing for these polymorphisms is routinely done for bone marrow and kidney transplantation. DRB1 is expressed at a level five times higher than its paralogs DRB3, DRB4 and DRB5. DRB1 is present in all individuals. Allelic variants of DRB1 are linked with either none or one of the genes DRB3, DRB4 and DRB5. There are 4 related pseudogenes: DRB2, DRB6, DRB7, DRB8 and DRB9.


Synonyms:

HLA-DR1B

Product images:



Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA372734] (HLA-DRB1 Antibody) at dilution 1/35 (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US 

Immunohistochemistry of paraffin-embedded Human tonsil tissue using [TA372734] (HLA-DRB1 Antibody) at dilution 1/35, treated with synthetic peptide. (Original magnification: ×200)

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US