

## Product datasheet for **TA372925**

### Mu Opioid Receptor (OPRM1) Rabbit Polyclonal Antibody

#### Product data:

Product Type:	Primary Antibodies
Applications:	IHC, WB
Recommended Dilution:	WB: 500-2000 WB positive control: Human cerebella tissue, A549 cell, RAW264.7 cell lysates IHC: 50-200 Positive control: Human breast cancer Predicted cell location: Cytoplasm
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Isotype:	IgG
Clonality:	Polyclonal
Immunogen:	Synthetic peptide of human OPRM1
Formulation:	pH7.4 PBS, 0.05% NaN <sub>3</sub> , 40% Glycerol
Concentration:	lot specific
Purification:	Antigen affinity purification
Conjugation:	Unconjugated
Storage:	Store at -20°C.
Stability:	1 year
Predicted Protein Size:	44 kDa
Gene Name:	opioid receptor mu 1
Database Link:	<a href="#">Entrez Gene 4988 Human P35372</a>



[View online »](#)


**Background:**

This gene encodes one of at least three opioid receptors in humans; the mu opioid receptor (MOR). The MOR is the principal target of endogenous opioid peptides and opioid analgesic agents such as beta-endorphin and enkephalins. The MOR also has an important role in dependence to other drugs of abuse, such as nicotine, cocaine, and alcohol via its modulation of the dopamine system. The NM\_001008503.2:c.118A>G allele has been associated with opioid and alcohol addiction and variations in pain sensitivity but evidence for it having a causal role is conflicting. Multiple transcript variants encoding different isoforms have been found for this gene. Though the canonical MOR belongs to the superfamily of 7-transmembrane-spanning G-protein-coupled receptors some isoforms of this gene have only 6 transmembrane domains.


**Synonyms:**

hMOP; KIAA0403; LMOR; MOP; MOR; MOR-1; MOR1; OPRM


**Product images:**



Gel: 8%SDS-PAGE  
 Lysate: 40 µg  
 Lane 1-3: Human cerebella tissue  
 A549 cell  
 RAW264.7 cell lysates  
 Primary antibody: TA372925 (OPRM1 Antibody) at dilution 1/800  
 Secondary antibody: Goat anti rabbit IgG at 1/5000 dilution  
 Exposure time: 1 minute



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA372925 (OPRM1 Antibody) at dilution 1/50 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human breast cancer tissue using TA372925 (OPRM1 Antibody) at dilution 1/50, treated with synthetic peptide. (Original magnification:  $\times 200$ )