

Product datasheet for TA372926S

CLOCK Rabbit Polyclonal Antibody

Product data:

Product Type: Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 100-300

Positive control: Human colorectal cancer Predicted cell location: Nucleus and Cytoplasm

Reactivity: Human, Mouse, Rat

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen: Synthetic peptide of human CLOCK
Formulation: pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Concentration: lot specific

Purification: Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

Gene Name: clock circadian regulator

Database Link: Entrez Gene 9575 Human

<u>O15516</u>

Background: The protein encoded by this gene plays a central role in the regulation of circadian rhythms.

The protein encodes a transcription factor of the basic helix-loop-helix (bHLH) family and contains DNA binding histone acetyltransferase activity. The encoded protein forms a heterodimer with ARNTL (BMAL1) that binds E-box enhancer elements upstream of Period (PER1, PER2, PER3) and Cryptochrome (CRY1, CRY2) genes and activates transcription of these

genes. PER and CRY proteins heterodimerize and repress their own transcription by interacting in a feedback loop with CLOCK/ARNTL complexes. Polymorphisms in this gene may be associated with behavioral changes in certain populations and with obesity and

metabolic syndrome. Alternative splicing results in multiple transcript variants.



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Synonyms:

bHLHe8; hCLOCK; KAT13D; KIAA0334; OTTHUMP00000128334

Product images:




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA372926] (CLOCK Antibody) at dilution 1/65 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using [TA372926] (CLOCK Antibody) at dilution 1/65, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA372926] (CLOCK Antibody) at dilution 1/65 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using [TA372926] (CLOCK Antibody) at dilution 1/65, treated with synthetic peptide. (Original magnification: ×200)