

## **Product datasheet for TA372957**

## **ANGPTL2 Rabbit Polyclonal Antibody**

## **Product data:**

**Product Type:** Primary Antibodies

Applications: IHC

Recommended Dilution: IHC: 50-200

Positive control: Human liver cancer Predicted cell location: Secreted

Reactivity: Human, Mouse

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

Immunogen:Synthetic peptide of human ANGPTL2Formulation:pH7.4 PBS, 0.05% NaN3, 40% Glycerol

**Concentration:** lot specific

**Purification:** Antigen affinity purification

Conjugation: Unconjugated Storage: Store at -20°C.

Stability: 1 year

**Gene Name:** angiopoietin like 2

**Database Link:** Entrez Gene 23452 Human

Q9UKU9

**Background:** Angiopoietins are members of the vascular endothelial growth factor family and the only

known growth factors largely specific for vascular endothelium. Angiopoietin-1, angiopoietin-2, and angiopoietin-4 participate in the formation of blood vessels. ANGPTL2 protein is a secreted glycoprotein with homology to the angiopoietins and may exert a function on

endothelial cells through autocrine or paracrine action.

**Synonyms:** ARP2; HARP; MGC8889




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Product images:**




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA372957 (ANGPTL2 Antibody) at dilution 1/55 (Original magnification: ×200)




Immunohistochemistry of paraffin-embedded Human liver cancer tissue using TA372957 (ANGPTL2 Antibody) at dilution 1/55, treated with synthetic peptide. (Original magnification: ×200)





Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA372957 (ANGPTL2 Antibody) at dilution 1/55 (Original magnification: ×200)



Immunohistochemistry of paraffin-embedded Human gastric cancer tissue using TA372957 (ANGPTL2 Antibody) at dilution 1/55, treated with synthetic peptide. (Original magnification: ×200)